

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
AddB2: Avonburg-----	75	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.15
BbhA: Bartle-----	83	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.46	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.46	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.46
BodAH: Bonnie-----	75	Very limited Depth to saturated zone Flooding Ponding Restricted permeability	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Restricted permeability	1.00 1.00 1.00 0.21
CkkB2: Cincinnati-----	80	Somewhat limited Depth to saturated zone Depth to cemented pan	0.39 0.35	Somewhat limited Depth to cemented pan Depth to saturated zone	0.35 0.19	Somewhat limited Slope Depth to saturated zone Depth to cemented pan	0.55 0.39 0.35
CkkC2: Cincinnati, eroded--	100	Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.39 0.04	Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.19 0.04	Very limited Slope Depth to cemented pan Depth to saturated zone	1.00 0.90 0.39
CkkC3: Cincinnati-----	100	Somewhat limited		Somewhat limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability Depth to saturated zone Slope	0.96 0.77 0.04	Restricted permeability Depth to saturated zone Slope	0.96 0.43 0.04	Slope Restricted permeability Depth to saturated zone	1.00 0.96 0.77
CkkD2: Cincinnati-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
CkkD3: Cincinnati-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone	0.77
CklC2: Cincinnati-----	60	Somewhat limited		Somewhat limited		Very limited Slope	1.00
		Restricted permeability	0.96	Restricted permeability	0.96		
		Slope	0.04	Slope	0.04	Restricted permeability	0.96
Nabb-----	40	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone	0.77
		Depth to cemented pan	0.23	Depth to cemented pan	0.23	Slope	0.50
						Depth to cemented pan	0.23
ClfA: Cobbsfork-----	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
CrbF: Corydon-----	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
Rock Outcrop-----	15	Not rated		Not rated		Not rated	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CxdA: Cyclone-----	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
EdcAH: Eel-----	100	Very limited		Somewhat limited		Very limited	
		Flooding	1.00	Flooding	0.40	Flooding	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
EepA: Elkinsville-----	100	Not limited		Not limited		Not limited	
EepB2: Elkinsville-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
EepC2: Elkinsville-----	100	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.04	Slope	0.04	Slope	1.00
FdbA: Fincastle-----	84	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
FdmB2: Fincastle-----	50	Very limited		Somewhat limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.94	Depth to saturated zone	1.00
		Restricted	0.21	Restricted	0.21	Slope	0.50

		permeability		permeability		Restricted permeability	0.21
Russell-----	30	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21	Somewhat limited Slope	0.50
						Restricted permeability	0.21
GccAH: Genesee-----	100	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
GmcC2: Grayford-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
GmcC3: Grayford-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
GmcD2: Grayford-----	100	Very limited		Very limited		Very limited	
Table REC-1.--Recreation--Continued							

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
GmcD3: Grayford-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GufE2: Grayford-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Corydon-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
						Content of large stones	0.01
Gxb: Gullied Land-----	100	Not rated		Not rated		Not rated	
HcgAH: Haymond-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HeeE2: Hickory-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HeeG: Hickory-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
JaeB2: Jennings-----	80	Somewhat limited Depth to cemented pan	0.71	Somewhat limited Depth to cemented pan	0.71	Somewhat limited Depth to cemented pan	0.71
						Slope	0.55
JaeC2: Jennings-----	100	Very limited Restricted permeability Slope	1.00	Very limited Restricted permeability Slope	1.00	Very limited Slope	1.00
			0.04		0.04	Restricted permeability	1.00
JaeC3: Jennings-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.39
JaeD2: Jennings-----	100	Very limited Restricted	1.00	Very limited Restricted	1.00	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
JaeD3: Jennings-----	100	Slope	1.00	Slope	1.00	Restricted permeability	1.00
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Restricted permeability	1.00
MmoC3: Miami-----	97	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.21	Restricted permeability	0.21	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.21
MnpC2: Miami-----	95	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.21	Restricted permeability	0.21	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.21
MnpD2: Miami-----	95	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
NaaA: Nabb-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Depth to cemented pan	0.10	Depth to cemented pan	0.10	Depth to cemented pan	0.10
NaaB2: Nabb-----	78	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Depth to cemented pan	0.20	Depth to cemented pan	0.20	Slope	0.55
						Depth to cemented pan	0.20
NaaB3: Nabb-----	78	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone	0.77
		Depth to cemented pan	0.23	Depth to cemented pan	0.23	Slope	0.50
						Depth to cemented pan	0.23
PbbB2: Parke-----	100	Not limited		Not limited		Somewhat limited	

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PbbC2: Parke-----	100					Slope	0.50
		Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
PbbC3: Parke-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00

PcrA: Pekin-----	90	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.54	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.54	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.54
PcrB2: Pekin-----	90	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.54	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.54	Somewhat limited Depth to saturated zone Slope Depth to cemented pan	0.98 0.55 0.54
PcrC2: Pekin-----	76	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.98 0.65 0.04	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.75 0.65 0.04	Very limited Slope Depth to saturated zone Depth to cemented pan	1.00 0.98 0.65
PhaA: Peoga-----	83	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96
Pml: Pits, Quarry-----	100	Not rated		Not rated		Not rated	
RpuE2: Rohan-----	75	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.29	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.29	Very limited Slope Depth to bedrock Gravel content Content of large stones	1.00 1.00 1.00 0.03
RtcB2: Ryker-----	92	Not limited		Not limited		Somewhat limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.55
StaAH: Steff-----	88	Very limited Flooding Depth to saturated zone	1.00 0.98	Somewhat limited Depth to saturated zone Flooding	0.75 0.40	Very limited Flooding Depth to saturated zone	1.00 0.98
StdAH: Stendal-----	89	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
ThaC2: Trappist-----	84	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.35
ThaD2: Trappist-----	100	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.42
ThbC3:							

Trappist-----	75	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.90
ThbD3: Trappist-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Restricted permeability Depth to bedrock	1.00 1.00 0.42
W: Water-----	100	Not rated		Not rated		Not rated	
WaaAH: Wakeland-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WokAH: Wilbur-----	88	Very limited Flooding Depth to saturated zone	1.00 0.98	Somewhat limited Depth to saturated zone Flooding	0.75 0.40	Very limited Flooding Depth to saturated zone	1.00 0.98